

**The 11th International Conference of Image Processing,
Wavelet and Applications on Real World Problems (IWW2021)
In Memory of Abul Hasan SIDDIQI, Sharda University & ISIAM, India
June 23-24, 2021, Istanbul Aydın University- online**



UNIVERSITY
OF TRIESTE



Istanbul Aydın University, Istanbul, TURKEY

23-24 June 2021

Editor

Prof. Dr. Zafer ASLAN

Editor Boards:

Dr. Mehmet Akif CİFCİ

Dr. Ahmet TOKGÖZLÜ

Topic: The 11th International Conference on Image Processing, Wavelet and Applications (IWW2021)

Please click the link below to join the conference:

<https://zoom.us/j/99284615049?pwd=Z1FGcVIZVjRPalE0SlhWVzZ5akR3UT09>

ID: 992 8461 5049

Passcode: 4441428

<http://iww2021.aydin.edu.tr>

E-mail: iww2021@aydin.edu.tr

**The 11th International Conference of Image Processing,
Wavelet and Applications on Real World Problems (IWW2021)
In Memory of Abul Hasan SIDDIQI, Sharda University & ISIAM, India
June 23-24, 2021, Istanbul Aydın University- online**



UNIVERSITY
OF TRIESTE



SHARDA
UNIVERSITY
Beyond Boundaries



EURAS
Avrasya Üniversiteler Birliđi
Eurasian Universities Union



The 11th International Conference on Image Processing, Wavelet and Applications IWW2021

Editor

Prof. Dr. Zafer ASLAN

Editor Boards:

Dr. Mehmet Akif CİFCİ

Dr. Ahmet TOKGÖZLÜ

Istanbul Aydın University, Istanbul, TURKEY

23-24 June 2021

Publisher of IWW2021 Abstract Booklet: Istanbul Aydın University

E-ISBN: 978-625-7783-45-3

Publication Center

IAU Visual Design Unit

Istanbul Aydın University, Inonu Cad. No. 34295, Kucukcekmece, Istanbul-TURKEY

Web: <https://www.aydin.edu.tr/tr-tr/Pages/default.aspx>

Phone: 444 1 428

Fax: (212) 425 57 59

Copyright notice

The copyright of all contributed articles collected in this volume recited with the authors. Any reproduction –in part of as a whole, electronically or in print – of material from within this volume requires the written consent of the author(s)

Preface

The 11th. International Conference on Image Processing, Wavelet and Applications (IWW2021) is on-line from 23rd. to 24th. June, 2021 in Istanbul Aydın University, Turkey. It was organised in collaboratoin with University of Trieste; Italy, Eurasian Universities Union (EURAS), Indian Society Industrial & Applied Mathematics (ISIAM) and Sharda University; India and University of Massachusetts Medical School, USA.

Wavelet analysis provides a unique decomposition of time series into signal and noise components. From the overall spectrum, independent spectra can be extracted allowing the separate detection and monitoring of the world problems. The participants of the conference will have the opportunity to discuss major issues of importance for integrated wavelet implementation, including development experiences worldwide wavelet applications. The wavelet methods provide avenues for proper understanding of real world problems. These scientific meetings are aimed at providing opportunity for interaction of scientists, engineers, space scientists, agricultural and environmental scientists, social scientists, medical scientists who are applying wavelets in their research areas in broad range of fields. Mathematical studies are often aimed to analyze and visualize real world problems. Discussion on this theme during ICIAM2003 in Sydney by Prof. Dr. Abul Hasan Siddiqi and his group, mooted the idea of holding symposium onwavelets.

Considering the importance of wavelet tools, Istanbul Commerce University (Istanbul, Turkey) organized the First International Workshop on Applications of Wavelets to Real World Problems during 17-18 July, 2005. The “International Workshops II and III: Mini Symposium on Applications of Wavelets to Real World Problems: IWW07 and IWW08” were organized by İstanbul Aydın University with the co- operation of The Abdus Salam International Centre for Theoretical Physics-Office of External Activities (ICTP-OEA, Trieste, Italy). “The Fourth International Workshop on Applications of Wavelets to RealWorld Problems (IWW2009)” was organized by Kocaeli University with the co-operation of ICTP-OEA inJune 2009. A fairly good number of active researchers of the field participated in its deliberations, and the papers presented were published in the Proceeding of the Workshop. Encouraged by the success of the series of Workshops, The Fifth International Symposium on Wavelet Applications to World Problems (IWW2010) was held in Istanbul Aydın University with the co-operation of ICTP-OEA, on June 7- 8, 2010. The sixth International Image processing & Wavelet on real World applications conference (IWW2012) was organized

by Boğaziçi University with the co-operation of Istanbul Aydın University in Istanbul. Universitat Politècnica de València in Valencia, Spain organized the seventh IWW2013. The 8th International conference on Image Processing, Wavelet and Applications (IWW2016) was held in Istanbul, Turkey on September 22 – 24, 2016. IWW 2016 was organized by Marmara University with the co- operations of Istanbul Aydın University and Sharda University. The ninth IWW2017 has been organized by Kafkas University, Kars from 5 to 8 November 2017.

The previous conference was held in Kocaeli, Turkey (October 5-8, 2019). In the international symposium/conference, scientists from different countries gathered and shared their specialist research in their respective fields. Joint study subjects were also developed and young scientist reunited with internationally famous scientists which provided the opportunity to get in contact with scientists from different countries for embarking on new projects in the conference.

The 11th IWW (IWW2021) will be in light of the esteemed memory of honoree chair Professor Abul Hasan Siddiqi, who passed away on January 20, 2020. The conference will be held in his physical absence but his eternal presence will be with us through his contributions and propagation of science and scientific thinking. Accordingly, our aim is to bring together researchers in mathematics, science, engineering, industry, technology, social science, sciences and amongst others to discuss the development of new models, theories, and applications that contribute to the advancement of scientific knowledge and practice. Besides the advances, applications and contributions which offer new opportunities and methods. We hope the conference will be fruitful and enjoyable for all the participants and contributors, who will benefit from the thought-provoking presentations, focused debates and exchange of information to occur during the IWW2021 Conference.

Honoree Committee

Mustafa Aydın, President, Istanbul Aydın University, Turkey

Atish, Dabholkar, Director, The Abdus Salam Int. Center for Theoretical Phys. ICTP, Italy

Pradeep Kumar Gupta, Chancellor, Sharda University, India

Yadigâr İzmirli, Rector, Istanbul Aydın University, Turkey

Roberto Di Lenarda, Rector, University of Trieste, Italy

Alberto Pallavicini, Deputy Rector, University of Trieste, Italy

Local Chairs

Zafer Aslan, Istanbul Aydın University, Turkey

Gökhan Erdemir, Istanbul Sabahattin Zaim University, Turkey

Ahmet Tokgozlu, Süleyman Demirel University, Turkey

International Chairs

Enrico Feoli, University of Trieste, Italy

Yeliz Karaca, University of Massachusetts Medical School, USA

Pammy Manchanda, Guru Nanak Dev University, India,

Majaz Moonis, University of Massachusetts Medical School, USA

Chairs for Organizing Special Sessions

Funda Dokmen, Kocaeli University, Turkey

Enrico Feoli, University of Trieste, Italy

Oya Oğuz, Haliç University, Turkey

Halit Hami Öz, Istanbul Gedik University, Turkey

Haluk Özener, Boğaziçi University, Turkey

Luis M. Sánchez Ruiz, Universidad Politécnica de Valencia (UPV), Spain

Mete Tayanç, Marmara University, Turkey

Osman Nuri Uçan, Altınbaş University, Turkey

International Advisory Board

Eşref Adalı, Istanbul Technical University, Turkey
Zafer Aslan, Istanbul Aydın University, Turkey
Muzaffer Baca, Eurasian Universities Union (EURAS), Turkey
Dumitru Baleanu, Çankaya University, Turkey and Inst. of Space Sci., Romania
Kenneth E. Barner, University of Delaware, USA
Luca Bertolussi, University of Trieste, Italy
Salvatore Dore, University of Trieste, Italy
Enrico Feoli, University of Trieste, Italy
Hans Georg Feichtinger, University of Vienna, Austria
Osvaldo Gervasi, Perugia University, Italy
Juan Manuel Gorriz, University of Cambridge and University of Granada, Spain
İsmail Gültepe, Environment Canada and Ontario Tech. University, Canada
Ali Güneş, Istanbul Aydın University, Turkey
Hasan Alpay Heperkan, Istanbul Aydın University, Turkey
Jordan Hristov, University of Chemical Technology and Metallurgy, Bulgaria
Stéphane Jaffard, Université Paris Est, Paris, France
Yeliz Karaca, University of Massachusetts Medical School, USA
Kenneth A. Loparo, Case Western Reserve University, USA
Vanni Lughi, University of Trieste, Italy
Pammy Manchanda, Guru Nanak Dev University, India
Majaz Moonis, University of Massachusetts Medical School, USA
Khan Muhammad, Sejong University, Korea
Ali Okatan, Istanbul Aydın University, Turkey
Halit Hami Öz, Istanbul Gedik University, Turkey
Sabina Passamonti, University of Trieste, Italy
Cristiano Piano, University of Trieste, Italy
Mukhayo Rasulova, Institute of Nuclear Physics Academy of Sciences Uzbekistan
Luis M. Sánchez Ruiz, Universidad Politécnica de Valencia (UPV), Spain
Hasan Saygın, Istanbul Aydın University, Turkey
Funda Sivrikaya Şerifoğlu, Istanbul Aydın University
R.C. Singh, Sharda University, India
Dino Zardi, University of Trento, Italy
Yu-Dong Zhang, University of Leicester, UK

Scientific Committee

Magdy Abdelwahab, Cairo University, Egypt
Mamta Agrawal, VIT Bhopal University, India
Çetin Akıncı, Istanbul Technical University, Turkey
Zelha Altınkaya, Yalova University, Turkey
Praveen Agarwal, Anand International College of Engineering, India
Nizamettin Aydın, Yıldız Technical University, Turkey
Dumitru Baleanu, Çankaya University, Turkey and Inst. of Space Sci., Romania
Burak Barutçu, Istanbul Technical University, Turkey
Luca Bortolussi, University of Trieste, Italy
Rashmi Bhardwaj, Guru Gobind Singh Indraprastha University, India
Carlo Cattani, Tuscia University, Italy
Özgür Çengel, Galata University, Turkey
Antonio Celani, The Abdus Salam International Center for Theoretical Physics, Italy
Piani Giovanni Cristiano, University of Trieste, Italy
Lütfiye Dahil, Istanbul Aydın University, Turkey
Aziz Dursun, Virginia Polytechnic Institute and State University, USA
Funda Dökmen, Kocaeli University, Turkey
İlknur Dönmez, Istanbul Arel University, Turkey
Nevcihan Duru, Kocaeli University, Turkey
Gökhan Erdemir, Istanbul Sabahattin Zaim University, Turkey
H. Metin Ertunç, Kocaeli University, Turkey
Osvaldo Gervasi, Perugia University Italy
Filippo Giorgi, The Abdus Salam Int. Center for Theo. Phys. ICTP, Italy
Ali Güneş, Istanbul Aydın University, Turkey
Kemal Güven Gülen, Namık Kemal University, Turkey
Rene Heise, Mountain Wave Project, Germany
Ahmet Ilvan, Istanbul Aydın University, Turkey
Selahattin İncecik, Istanbul Technical University, Turkey
Ayşe İrmış, Pamukkale University, Denizli, Turkey
Ceyhan Kahya, Istanbul Technical University, Turkey
Seda Karateke, Istanbul Arel University, Turkey
Zeynep Çiğdem Kayacan, Istanbul Aydın University, Turkey
Yeliz Karaca, University of Massachusetts Medical School, USA
Kasım Koçak, Istanbul Technical University, Turkey
Fred Kucharski, The Abdus Salam Int. Center for Theo. Phys. ICTP, Italy
Pammy Manchanda, Guru Nanak Dev University, India
Sibel Menteş, Istanbul Technical University, Turkey
Edoardo Milotti, University of Trieste, Italy
Majaz Moonis, University of Massachusetts Medical School, USA
Hasan Ocak, Kocaeli University, Turkey
Oya Oğuz, Haliç University, Turkey

Bülent Oktay Akkoyunlu, Marmara University, Turkey
Onur Osman, Nişantaşı University, Turkey
Halit Hami Öz, Istanbul Gedik University, Turkey
Oktay Özcan, Istanbul Aydın University, Turkey
Haluk Özener, Boğaziçi University, Turkey
Rolf Radespiel, Technische Universität Braunschweig, Germany
Javad Rasheed, Istanbul Aydın University, Turkey
Mukhayo Rasulova, Institute of Nuclear Physics Academy of Sciences Uzbekistan
Mahir Rasulov, Azerbaijan Science Academy, Turkey
Bernd Richter, Deutscher Wetterdienst retd, Germany
Luis M. Sánchez Ruiz, Universidad Politécnica de Valencia (UPV), Spain
Vinod Prakash Saxena, VC Jiwaji University, Gwalior, India
Tahir Shah, The Abdus Salam Int. Center for Theo. Phys. ICTP, Italy
Sita Ram Sharma, Chitkara University, India
R.C. Singh, Sharda University, India
Bahattin Sinsoysal, Beykent University, Turkey
Ferdî Sönmez, Fenerbahçe University, Istanbul, Turkey
Ahmet Duran Şahin, Istanbul Technical University, Turkey
Serhat Şeker, Istanbul Technical University, Turkey
Uğur Şener, Istanbul Aydın University, Turkey
Rodolfo Taccani, University of Trieste, Italy
Mete Tayanç, Marmara University, Turkey
Sema Topçu, Istanbul Technical University, Turkey
Hüseyin Toros, Istanbul Technical University, Turkey
Yurdanur Tulunay, National Space Agency and MTU, Turkey
Yurdanur Ünal, Istanbul Technical University, Turkey
Lin Wang, Chinese Academy of Sciences, China
Shui Hua Wang, University of Leicester, UK
Metin Zontul, Istanbul Topkapı University, Turkey©2022

International Steering Committee

Uğur Akbulut, Istanbul Aydın University, Turkey
Nevin Z. Çağlar, Boğaziçi University, Turkey
Mehmet Akif Çifçi, Istanbul Aydın University, Turkey
Sevda Üstündağ Gökmen, İstanbul University, Turkey
Ahu Dereli Dursun, Istanbul Commerce University, Turkey
Gamze Maden, Istanbul Aydın University, Turkey
Deniz Okçu, Boğaziçi University, Turkey
Güven Özdemir, Istanbul Aydın University, Turkey
Tuncay Özdemir, Istanbul Technical Univresity, TSM, Turkey
Şenol Solum, Boğaziçi University, Turkey
Serap Söğüt, Boğaziçi University, Turkey
Mustafa Takaoğlu, Istanbul Aydın University, Turkey
Furkan Taner, Bogaziçi University, Turkey
Adil Tek, Boğaziçi University, Turkey
International Conference on Image Processing, Wavelet and Applicatio

PROGRAM

23 June 2021

06.00-06.20 GMT /09.00-09.20 Local: REGISTRATION

<p>6.20– 7.00 GMT 9.20-10.00 Local</p>	<p>WELCOME REMARKS</p> <p>Prof. Zafer ASLAN, Chair, IAU, Turkey Prof. Dr. Pammy MANCHANDA, ISIAM, India, Prof. Dr. Yadigar İZMİRLİ, Rector, IAU, Turkey Assoc. Prof. Dr. Mustafa AYDIN, President, EURAS and IAU, Turkey Prof. Dr. Ram Chandra SINGH, Sharda University, India Prof. Dr. Alberto PALLAVICINI, Deputy Rector University of Trieste, Italy</p>
<p>SESSION 1- IMAGE PROCESSING/APPLIED MATHEMATICS</p> <p>Chair(s): Stéphane Jaffard and Osman Nuri Uçan</p>	
<p>7.00 – 9.10 GMT 10.00-12.10 Local</p>	<p>Eşref ADALI Evaluation of Turkish in terms of Informatics</p>
	<p>Rene LOZI ABDELOUAHAB and A. Arama A novel epidemiological model of tuberculosis epidemic allowing transfers of population and wider use of treatment</p>
	<p>Bahadır UÇAN Revitalization of Cultural Heritage Through Extended Reality Technologies</p>
	<p>Mukhayo RASULOVA The Solution Of Niels Bohr’s Problem On Interactive Communication</p>
<p>9.10 -9.40 GMT 12.10 - 12.40 Local</p>	<p>Sita Ram SHARMA Analysis of Fractals on Square and Some Square Carpet Designs</p>
	<p>Santosh KUMAR, Khursheed ALAM and Alka CHAUHAN PDE-based nonlinear anisotropic diffusion model for removing additive noise</p>
<p>9.40 -10.10 GMT 12.40 -13.10 Local</p>	<p>BREAK</p>
<p>SESSION 2 - MEDICAL APPLICATIONS</p> <p>Chair(s): Pammy MANCHANDA and Zeynep C. KAYACAN</p>	
<p>10.10 -10.45GMT 13.10 -13.45 Local</p>	<p><u>Enrico FEOLI</u> Zafer ASLAN and Çiğdem GENÇEL Clustering time series data: A case study on the diffusion of COVID19 in 12 Italian cities</p>
	<p>Ajinkya DEOKATE, Mamta AGRAWAL, <u>Mimansha AGRAWAL</u> and Zafer ASLAN Impact of Wind and Temperature on Covid-19 outbreak: Investigatory analysis in India</p>
	<p><u>Varsha NIGAM</u>, Mamta AGRAWAL, Anil GOYAL and Ramakant BHARDWAJ The mathematical model to Study the influence of different kind of clothing material on counter current heat and water distribution in human organs</p>

10.45-12.30GMT 13.45-15.30Local	<u>Ali GÜLSOY</u> , Halit Hami ÖZ Brain Tumor Detection Using Convolutional Neural Networks (CNN)
	Mehmet Akif ÇİFÇİ An Innovative Model SegChaNet for segmentation of lung cancer in CT Images
	<u>Nur OLABI</u> , Aykut YILMAZ Automated Detection of Alzheimer's Disease Using Wavelet Transform with Convolutional Neural Networks
	Iaxmi (Sugandha PATHAK), <u>Mamta AGARWAL</u> , Vijay GUPTA and Ramakant BHARDWAJ Study of numerical model for thermoregulation in women body before and after menstruation cycle
	<u>Raj KUMAR</u> , Satyapriya, Sheetal, Riesz Multiresolution Analysis on Locally Compact Abelian Groups
12:30-12.50GMT 15.30 -15.50Local	BREAK
SESSION 3 - ARTIFICIAL INTELLIGENCE/APPLIED MATHEMATICS Chair(s): Guy DEGLA and Jawad RASHEED	
12.50-13.30 GMT 15.50-16.30 Local	Zuhair NASHED Inverse Problems Across the Curriculum
13.30-14.30 GMT 16.30 -17.30 Local	<u>Cüneyt YAZICI</u> and Ali Fuat YENİÇERİOĞLU Asymptotic behavior of solutions and stability properties for a linear neutral delay differential equation with constant impulsive jumps
	Renny P. VARGHESE On the spectrum of a new class of graphs
	<u>Sertac GÜL</u> and Halit Hami ÖZ 100 Days Confirmed Covid 19 Cases Prediction Model In Turkey
	<u>Amal BOUICH</u> , Julia MARI, Shafi ULLAH, Julia MARI, Asmaa BOUICH, Bernabé MARI , Mohamed Ebn TOUHAMI Modulation of the Crystallization in MaPbI3 Perovskite Films: Studying the impact of Different Antisolvents
	<u>Mustafa Sami Şahin</u> , Halit Hami ÖZ Recognizing Musical Instruments Using Machine Learning
SESSION 4 Environmental Applications Chair: Zuhair NASHED and Ali GÜNEŞ	
14.30 -15.10 GMT 17.30 -18.10 Local	Vanni LUGHI Climate change, energy and CO2 emissions: how can applied math help?
	Khawla FRADI, Bechir SLIMI , <u>Amal BOUICH</u> , Bernabe MARI, Radhouane CHTOUROU The effect of the temperature in the structural and optoelectronics properties of MAPbI3 / TiO2 heterojunction for Photovoltaic application
	<u>Zelha ALTINKAYA</u> , Zafer ASLAN The Climate Changes and The Foreigner's House Purchases in Turkey

15.10 -16.00 GMT	Shahnaz AMANOVA, <u>Rovshan ABBASOV</u>
18.10-19.00 Local	Investigation Of Kura River Delta And Surrounding Area On The Basis Of ImageProcessing
	<u>Mimansha AGRAWAL</u> , Mamta AGRAWAL, Zafer ASLAN İlknur DÖNMEZ, Ali GÜNEŞMonitoring Air pollution impacts on COVID-19 in India

24 June 2021	
SESSION 5 - Engineering Applications	
Chair(s): Lughı VANNI and Halit Hami Öz	
6.30-7.50 GMT 9.30-10.50 Local	Hans Georg FEICHTINGER A Simplified Theory of Distributions for Engineering Applications and Time-Frequency Analysis
	Stéphane JAFFARD The unreasonable effectiveness of Haar frames
7.50-9.00 GMT 10.50-12.00 Local	Amal BOUICH Solution of Partially Singularly Perturbed System of Initial and Boundary Value Problems Using Non-Uniform Haar Wavelet
	Sema ÜZÜLMEZ and Mehmet Akif ÇİFÇİ Estimation of Math Success Scores According To The Reading And Writing Scores of Primary School Students
	Akmal RAZA Solution of Partially Singularly Perturbed System of Initial and Boundary Value Problems Using Non-Uniform Haar Wavelet
	İsmail GÜLER Examining the Ease of Use of Hybrid Systems in Mobile Applications
	Baljinder KOUR Space time fractional Ito system: Exact solution and conservation laws
	Berrak ŞENSES, Ece Akşen, Elena Battini SÖNMEZ Automatic Traffic Sign Classification
	Emine Ayık, Halit Hami ÖZ Forecasting the EUR-TL exchange rate with Artificial Neural Network
9:00-9.30 GMT 12.00-12.30 Local	BREAK
SESSION 6 - Engineering Applications	
Chair(s): Luis M. SÁNCHEZ RUIZ and Hasan A HEPERKAN	
9.30-10.10 GMT 12.30 -13.10 Local	Rashmi BHARDWAJ Wavelet Hybridized Neuronal Modelling of COVID-19
	Meenakshi, P. Manchanda Vector-valued Nonuniform Wavelet Packets

10.10-11.30 GMT 13.10-14.30 Local,	Amal BOUICH Solution of Partially Singularly Perturbed System of Initial and Boundary Value Problems Using Non-Uniform Haar Wavelet
	Jalalov GARIB, <u>Mahir RASULO</u> V Investigation of Thermodynamic Processes In The Oil Layer With Regard of Deformation
	Shafi Ullah, Amal Bouich, Júlia Marí, Amir Shafi, Hanif Ullah, Bernabé Mari Bandgap alignment of buffer CdS toward ZnO Window layer for thin-film application
	G.ARTHI Controllability of fractional-order dynamical systems with control delay
	<u>Fatih BINGÖL</u> , Halit Hami ÖZ Semantic Analysis of a Book using R Programming
11.30 -12.15 GMT 14.30- 15.15 Local	<p style="text-align: center;">CLOSING SESSION</p> <p style="text-align: center;">With All Session Chair(s), and Invited Speakers</p> Eşref ADALI, Zafer ASLAN, Nizamettin AYDIN, Rashmi BHARDWAJ, Hans Georg FEICHTINGER, Guy DEGLA, Funda DÖKMEN, Ali GÜNEŞ, Hasan A HEPERKAN, Stéphane JAFFARD, Yeliz KARACA, Zeynep C. KAYACAN, Rene LOZI, Oya OĞUZ, Ahmet TOKGÖZLÜ, Haluk ÖZENER, Pammy MANCHANDA, Zuhair NASHED, Halit Hami ÖZ, Jawad RASHEED, Mahir RASULOVA, Mukhayo RASULOVA, Luis M. SÁNCHEZ RUIZ, Ram Chandra SINGH, Mete TAYANÇ, Bahadır UÇAN, Osman Nuri UÇAN, Lughi VANNI

CONTENTS

Sayfa No:

On-line.....	1
Preface.....	3
Honoree Committee	5
Local Chairs	5
International Chairs	5
Chairs for Organizing Special Sessions	5
Scientific Committee.....	7
International Steering Committee	8
PROGRAM	9
CONTENTS	13
WELCOME REMARKS	15
ABSTRACT ORDERED ACCORDING TO PROGRAM.....	21
SESSION 1- IMAGE PROCESSING/APPLIED MATHEMATICS	21
Evaluation of Turkish in terms of Informatics	21
A novel epidemiological model of tuberculosis epidemic allowing transfers of population and a wider use of treatment.....	22
The Solution of Niels Bohr’s Problem on Interactive Communication	24
Analysis of Fractals on Square and Some Square Carpet Designs	25
PDE-based nonlinear anisotropic diffusion model for removing additive noise	26
SESSION 2 - MEDICAL APPLICATIONS	27
Clustering time series data: A case study on the diffusion of COVID19 in 12 Italian cities.....	27
Impact of Wind and Temperature on Covid-19 outbreak: Investigatory analysis in India	28
The mathematical model to Study the influence of different kind of clothing material on counter current heat and water distribution in human organs	29
Brain Tumor Detection Using Convolutional Neural Networks (CNN)	30
An Innovative Model SegChaNet for segmentation of lung cancer in CT Images	31
Automated Detection of Alzheimer's Disease Using Wavelet Transform with Convolutional Neural Networks	32
Study of numerical model for thermoregulation in women body before and after menstruationcycle	33
Riesz Multiresolution Analysis on Locally Compact Abelian Groups	34
SESSION 3 - ARTIFICIAL INTELLIGENCE/APPLIED MATHEMATICS.....	35
Inverse Problems across the Curriculum.....	35

Asymptotic behavior of solutions and stability properties for a linear neutral delay differential equation with constant impulsive jumps	36
On the spectrum of a new class of graphs	37
100 Days Confirmed Covid 19 Cases Prediction Model in Turkey	38
Modulation of the Crystallization in MaPbI_3 Perovskite Films: Studying the impact of Different Antisolvents	39
Recognizing Musical Instruments Using Machine Learning	40
SESSION 4 Environmental Applications	41
The effect of the temperature in the structural and optoelectronics properties of $\text{MAPbI}_3 / \text{TiO}_2$ heterojunction for Photovoltaic application.	42
Investigation of Kura River Delta and Surrounding Area on The Basis of Image Processing	44
Monitoring Air pollution and it's Impacts on COVID-19 in India	45
SESSION 5 Engineering Applications	46
The unreasonable effectiveness of Haar frames	47
Solution of Partially Singularly Perturbed System of Initial and Boundary Value Problems Using Non-Uniform Haar Wavelet	48
Estimation of Math Success Scores According to the Reading and Writing Scores of Primary School Students	49
Examining the Ease of Use of Hybrid Systems in Mobile Applications	50
Automatic Traffic Sign Classification	52
SESSION 6 Engineering Applications	54
Wavelet Hybridized Neuronal Modelling of COVID-19	54
Vector-valued Nonuniform Wavelet Packets	55
The impact of Different Antisolvents in the Growth and stability of Formamidinium lead iodide (FaPbI_3) Perovskite Films	56
Investigation of Thermodynamic Processes in the Oil Layer with Regard of Deformation	57
Bandgap alignment of buffer CdS toward ZnO Window layer for thin-film application	58
Controllability of fractional-order dynamical systems with control delay	59
Sementic Analysis of a Book using R Programming	60

WELCOME REMARKS

Prof. Zafer ASLAN, Chair
Istanbul Aydın University, Turkey

Today is very exceptional day. As you know the conference program is in memory of Prof. Abul Hasan. So dear Prof. Pammy MANCHANDA, dear Rectors and Presidents, Dear Prof. Ram Chandra SINGH, Dear Prof. Alberto PALLAVICINI and all colleagues, chairs and participants you are welcome to the 11th International conference on Image Processing. This Conference is held in ISTANBUL AYDIN UNIVERSITY, we have already organized previous conferencez at our institution and also other abroad institutions. I would like to thank to University of Trieste, Eurasian Universities Union, Indian Society of Industrial Applied Mathematics, Sharda University and University of Massachusetts Medical School. We had a great Cooperation's in between these institutions, so the 11th. IWW2021 conference will be in light of the esteemed memory of honorary chair Prof. Abul Hasan Siddiqi. Unfortunately, he passed away on the 20th of January 2020. He shared with us his experiences on models and applications. He had great contributions on this field not only in India but also in Turkey and other countries. On behalf of my young colleagues we are very much obliged to him. Prof. Siddiqi was the former Rector of Aligarh Muslim University in Agra, later on he moved to Delhi and he is the founder of Indian society of Industrial Applied Mathematic. Our aim is to build a networking with exceptional and distinguish colleagues in Mathematics, Science, Industrial, Engineering, Technology, Social Science and many others to discuss development of man scientific knowledge and practice. As the Organizing committee we would like to thank all the invited Speakers and all Authors and Co-Authors. Deputy Director of UNITs is also here, thank you very much for your participation Professor. As you know we were organizing this exceptional conference at your institution around one and half year ago. We had already defined the conference call, but unfortunately because of the pandemics, we had to postpone and organize it on-line. We hope the conference will be successful and enjoyable for all participants.

Prof. Dr. Yedigâr İZMİRLİ
Istanbul Aydın University, Rector, Istanbul

Welcome to the 11th International Conference on International Image Processing and Wavelet Applications for Solving Real World Problems. We would like to express our sincere thanks to Trieste University, EURAS (Eurasian Universities Association), Indian Applied Mathematics Society and Sharda University for their support to this conference hosted by Istanbul Aydın University between 23-24 June 2021. This conference, unfortunately, passed away 1.5 years ago, ISIAM Founding President Prof. Dr. We have organized it in memory of Prof. Dr. Abul Hasan SIDDIQI, under the chair of Prof. Dr. SIDDIQI; we organized the scientific meetings in 2007, 2008 and 2010 as a workshop at our university with the support of the Italy International Center for Theoretical Physics. Previous Conferences were organized in cooperation with Boğaziçi, Kocaeli, Beykoz, Kafkas and Valencia Universities. Scientific studies to which many young researchers have contributed to date have been discussed at these meetings, and have been published in scientific journals. This collaboration has contributed significantly to the careers of young researchers and continues to do so. Especially nowadays augmented reality, new digital technologies etc. We would like to thank the sessionchairs, invited speakers and paper owners for their efforts in the organization of this scientific meeting, which we believe will allow the developments to be closely followed and shared.

Assoc. Prof. Dr. Mustafa AYDIN
Istanbul Aydın University, President, EURAS
Turkey

First of All, I would like to thank our valuable Rectors and academicians for being here with us at this conference today, Every year as a Series Prof. Zafer Aslan and all our valuable colleagues and partners are organizing this prestigious, and for that I would like to specially thank Prof. Zafer Aslan and everyone contributing. We always wish we could do these kind of meetings in our University in person, but unfortunately the Corona virus prevented us from doing such thing, so of course as Academics we have to carry on our work, That's why ISTANBUL AYDIN UNIVERSITY, Eurasian Universities Union and all our participants have been doing these events thorough on-line meetings and as I look through the names of the Universities I see a lot of Participants from all around the world joining us today, but I know for sure that this conference will still be very productive and beneficial to the scientific community and the academics in general I also want to pay my respect for our deceased friend Prof. Siddiqi.

Once again, I would like to extend my thanks to all the participants for being with us here today and I wish you all a successful conference.

Prof. Dr. Pamy MANCHANDA
Gru Nanak Dev University, Amristar, ISIAM, India

Welcome to the 11th IWW2021 Conference. Image Processing, wavelet and time series analyzes make important contributions to the correct understanding of real-world problems by allowing the information in the signal to be separated. Data mining facilitates the solution of the problem and increases the success performance of the models. Today, with the pandemic process, digitalization and computer-assisted research and education applications have gained great importance. At this 11th scientific meeting, image processing and wavelet analysis make it possible to solve multidisciplinary problems in data science, engineering, health, and even art-related applications. We met Professor Siddiqi at the 3rd Scientific Meeting held at our University in 2007. In particular, these meetings make significant contributions to the development of the knowledge and experience of researchers at the beginning of their careers.

Among us, scientists from different countries, from America to Europe and Asia, will discuss important research findings in mathematical application and gaining experience. I would like to express my gratitude to those who contributed to the organization of this conference, which was hosted by the Computer Engineering Department of the Faculty of Engineering of our university, to the invited speakers, session chairmen and the owners of the papers. I commemorate our teacher SIDDIQI with mercy and wish a successful conference.

**Prof. Dr. Ram Chandra SINGH,
Sharda University, ISIAM, India**

First of All, I would Like to thank Prof. Zafer Aslan for providing this opportunity to say a few words on the 11th International Conference on Image Processing, wavelet and applications which is being held regarding the memory of Prof. Abul Hasan Siddiqi who has been associated with Sharda University until his last breath. Prof. Siddiqi not only gave a Name and Fame to Sharda University through his Academic work, but also motivated many people to work on the field of Image processing, wavelet and their applications to solve real world problems. I'm very fortunate to have obtained this special opportunity Prof. Siddiqi to be his close collaborator. In fact, for the first time I learned about wavelets analysis through him only and he offered me the opportunity to attend a conference at ISTANBUL AYDIN UNIVERSITY in the 5th IWW2010 and attending this conference was a great learning experience for me and we thank Prof. Aslan for the wonderful hospitality. Prof. Manchanda was also a part of this conference, Prof. Siddiqi Joined Sharda University at the end of 2009 and during a span of ten years he guided more than ten doctoral students. He organized two international conferences and one symposium. He has written and edited over ten books. His last edited book Computational science application which is published by Taylor & Francis and I'm Fortunate that I myself is co-editor of this book. The sudden demise of Prof. Siddiqi is irreplaceable lose for the Scientific Community, for Sharda University and for me in particular because he was my mentor and my Godfather.

We Thank Istanbul Aydin University, the University of Trieste, Indian society of Industrial Applied Mathematics and the Organizers of IWW2021 for organizing this conference in the memory of Prof. Siddiqi, his Contributions, in functional analysis, wavelets analysis and Industrial Applied Mathematics will always be remembered by the scientific community. I wish IWW2021 every success, all the best and have a nice day.

Prof. Dr. Alberto PALLAVICHINI
University of Trieste, Deputy Rector, Italy

First of All, I bring you the greetings from our Rectors, I'm the deputy Rector of International Relations of the University of Trieste, was mentioned a several times from my Professors introducing in this meeting as Trieste is a city in Italy close to the border in Slovenia, but with an incredibly eye- concentration on Research centers and in one of Research centers the International center of Physics Prof. Siddiqi was an associated scientist. And I realised now that most of you know each other participants knows Prof. Dr. Siddiqi which makes me very happy, once again thanks to Prof. Zafer Aslan for organizing this meeting in a such difficult period of time. Although it is much easier to organize a meeting online in some aspects I know meeting colleagues and friends via online meetings and not in person can be quiet frustrating. I hope the meeting next time can be in person, see you all soon in Trieste and thank you let the meeting start.

ABSTRACT ORDERED ACCORDING TO PROGRAM

SESSION 1- IMAGE PROCESSING/APPLIED MATHEMATICS

Evaluation of Turkish in terms of Informatics

Eşref Adalı

Istanbul Technical University, Istanbul, Türkiye

Abstract: We can examine and compare languages, which are extremely important for societies, from different perspectives. To evaluate a language, it is necessary to examine and evaluate all the features of the language. Within the scope of this paper, it will be explained from which aspects a language can be examined and evaluated. Reviews will not be limited to grammar but will also be technical aspects. As it is known, classical grammar topics are phonology, prosody, morphology, syntax, semantics, discourse and pragmatics. Our review will be on the features listed as: Clarity; Ease of pronunciation and good-sounding; Vocabulary; Productivity; Prominence; Regularity. When clarity tests are carried out on Turkish and other languages, it is seen that the clarity of Turkish is high. We can associate the reasons for this with the following features of Turkish: Turkish is an agglutinative language; Vowel and consonant harmony in Turkish; Syllable structure of Turkish; The vowel and consonant harmony of Turkish facilitates pronunciation and makes it sound pleasant. In other words, vowel harmony is a result of the nature of the human vocal organ; Turkish is Easy to Say; Turkish speaking gets tired less; Turkish sounds good the effectiveness of a language can also be measured by the richness of its vocabulary. The size of the vocabulary of a language is directly proportional to the thinking ability of the person speaking that language. When investigating the richness of a language's vocabulary, only looking at the number of words in the dictionary does not give accurate results. In fusional languages, it is necessary to give a new name to each concrete and abstract object. This necessity causes the vocabulary to be wide in such languages. In agglutinative and Hami-Sami languages, it is possible to derive new words with affixes added to the root word. Even if some of the derived words are not included in dictionaries, their meanings are understood by those who use that language. An indicator of the productivity of a language is the meanings attributed to words. For example, the most basic use of the verb to break is to "break up hard things by hitting or crushing". It is possible to come across too many meanings of the word break in developed languages such as Turkish. Turkish is as if a language convention was held 5000 years ago and the rules of Turkish were determined. These rules have not changed until today. This feature of Turkish amazes linguists. It is expected that there should be a certain order in the order of the words in the sentence. In each language, certain rules are followed in ordering the words in the sentence. In some languages, if this order is changed, the meaning of the sentence is distorted or lost. In Turkish sentences, the words are arranged in a certain order. However, there is no loss of meaning when the order is changed.

Key Words: Turkish, vocabulary, language

A Novel Epidemiological Model of Tuberculosis Epidemic Allowing Transfers of Population and a Wider Use of Treatment

René Lozi, M. Abdelouahab and A. Arama

University Côte d'Azur, Nice, France,

Abstract: A novel epidemiological model describing the evolution of tuberculosis in a human population is proposed. This model is of the form SEIR where S stand for Susceptible people, E for Exposed (infected but not yet infectious), I for Infectious and R for Recovered. The main characteristic of this model inspired from the disease biology and some realistic hypothesis is that the treatment is administrated not only to infectious but also to expose. Moreover, this model has a geographic component, as it considers the transfer of infected or infectious people to other regions more conducive to their care and accepts for treatment exposed or infectious patients coming from other regions without care facilities. Stability and bifurcation of the solutions of this model are investigated. It is found that saddle-focus bifurcation occurs when the contact parameter passes through some critical values. The model undergoes a Hopf bifurcation when the treatment rate r is considered as a bifurcation parameter. It is shown also that the system exhibits saddle-node bifurcation which is a transcritical bifurcation between equilibrium points. Numerical simulations are done to illustrate these theoretical results. They highlight the critical role of the contact rate and the treatment rate in the eradication of the disease.

Keywords: Epidemiological Model, infectons

Revitalization of Cultural Heritage through Extended Reality Technologies

Bahadır Uçan

Yıldız Technical University, Türkiye

Abstract: The transfer of cultural heritage assets to the audience through different experiences is seen as a current requirement. Audience can have knowledge about the cultural heritage assets and reach to an immersive experience without the need to be physically there by using extended reality technologies (XR). The limitation of physical visits and activities during the pandemic has led to an increase in studies based on extended reality technologies and led to industrial development of the sector in this field. Within the scope of this study, the methods of extended reality technologies used to experience cultural heritage assets are examined. These studies are discussed through examples. Various techniques used among these methods, photogrammetry, 3D modeling studies, software tools and programs were examined, and studies were evaluated within the scope of augmented reality and virtual reality technologies under the umbrella of extended reality. With the ease of access to augmented reality applications and the widespread use of devices using this technology (phones, tablets etc.) and the other hand the decrease in the costs of virtual reality devices, the increasing availability of virtual reality applications and with diversified virtual reality applications (museum, games, education etc.) the effect of the growing market share it is seen that the usage area has increased.

Keywords: Cultural Heritage, Pandemic, Extended reality technologies, Augmented reality, Virtual Reality, Immersive experience.

The Solution of Niels Bohr's Problem on Interactive Communication

M. Yu. Rasulova

Institute of Nuclear Physics, Ulugbek, Tashkent, 100214

Uzbekistane-mail: rasulova@live.com

Abstract: One of the most urgent problems of our time is the security of information transfer. This can be seen even from the fact how much spam we receive every day by email. It is known that “Advanced Encryption Standard” [1], which is the basis of western information encryption, is based on such chaotic actions as permutation of cells, columns and matrix rows, which are the conversion of plaintext to ciphertext. These actions are random in nature and therefore do not provide complete confidentiality of information. Complete confidentiality of information can be provided if each information cell is closed using its own transformation. Such a complete set of transformations can be obtained by solving the equations for a function of N variables, where N is the number of cells. As known, there are very few exactly solvable equations for functions of N variables. One of the most reliable is the Lieb-Liniger model [2] for describing the system of bosons interacting by means of delta-function potentials. This problem was first solved by Lieb and Liniger and is known in the scientific literature as the Lieb-Liniger model.

Another vulnerable point leading to the loss of information security is the process of the encryption key transmitting after sending encrypted information from the sender (Alice) to the recipient (Bob). This vulnerability can be eliminated if Alice and Bob have their own encryption keys. Researchers drew attention to the problem of having their own encryption keys long before the development of modern information technologies. Back in the early 30s of the twentieth century, an attempt to play poker at a distance between Professor Niels Bohr with his son, Heisenberg and other colleagues was unsuccessful, and a problem arose for the players to have their own encryption keys. Only in the 80s of the 20th century, Adi Shamir [3] indicated a way to solve this problem. His method of solving the problem is often called a three-step protocol. It consists of the following steps. Alice encrypts the information with her encryption key and sends it to Bob. Bob encrypts the received information with his own encryption key and returns the information now under the two encryption keys back to Alice. Alice, having received this information, decrypts it with her decryption key and sends the information now under one encryption key back to Bob. Information is now under one encryption key with Bob. Bob, having received this information from Alice, decrypts it with his decryption key. Now the information is without an encryption key and Bob can get acquainted with the information that Alice wanted him to transfer.

In the paper, we show the possibility of using expressions defined based on the Lieb–Liniger work as commutative Alice and Bob encryption keys for transmitting information based on a three-step protocol. It is shown that to determine the amount of time- dependent information, one can use the solution of the Bogolyubov–Born–Green–Kirkwood–Yvon hierarchy of quantum kinetic equations, when the equilibrium density matrix is determined through the Bethe ansatz.

The proposed method ensures complete confidentiality of information transfer.

Keywords: Interactive communication, information transformation.

REFERENCES

1. J. Daemen and V. Rijmen, *The Design of Rijndael AES—The Advanced Encryption Standard* (Springer, Berlin, 2002).
2. E. H. Lieb and W. Liniger, “Exact analysis of an interacting Bose gas. I: The general solution and the ground state,” *Phys. Rev.* 130, 1605–1616 (1963).
3. A. Shamir, R. L. Rivest, and L.M. Adleman, in *Mental Poker*, Ed. by D. A. Klarner (The mathematical Gardner, Wadsworth, 1981), p. 37–43.

Analysis of Fractals on Square and Some Square Carpet Designs

S. R. Sharma

Chitkara University School of Engineering and Technology, Chitkara University, Himachal Pradesh, India

sita.ram@chitkarauniversity.edu.in

ABSTRACT: Fractal geometry has many applications in designing of floors, making home beautiful, designing of doors etc. so here in this paper we present some designs on square. Some self-similar fractals are presented here with analysis of area and perimeter. With the help of iteration process, properties of recurrence relation and numerical methods some newly discovered fractals are presented here.

Keywords: Fractal Dimension, Iterations, Self-Similarity, recursive relation, Sierpinski carpet.

PDE-Based Nonlinear Anisotropic Diffusion Model for Removing Additive Noise

Santosh Kumar, Khursheed Alam, Alka Chauhan

Department of Mathematics, Sharda University Greater Noida, India

Abstract: In the image processing area, deblurring and denoising are the most challenging hurdles. The deblurring image by a spatially invariant kernel is a frequent problem in the field of image processing. In this paper, we propose a nonlinear anisotropic diffusion model for removing additive noise. The model is developed by multiplying the magnitude of the gradient in the diffusion model, and then applies priori smoothness on the solution image. We present proof of the existence, uniqueness and stability of the viscosity solution of our model. The finite explicit scheme is used to discretize the diffusion model. The numerical results are given in terms of the improvement signal-to-noise ratio.

Keyword: Diffusion model, noise

SESSION 2 - MEDICAL APPLICATIONS

Clustering Time Series Data: A Case Study on The Diffusion of COVID19 In 12 Italian Cities

E. Feoli¹, Z. Aslan² and C. Gencel³

¹ Department of Life Sciences, University of Trieste, 34170 -Italy, feoli@units.it

² Istanbul Aydın University, Department of Computer Engineering, Istanbul, 34295-Turkey,

³ IT Consultant, 39100-Italy, cigdem.gencel@gmail.com

Abstract: This paper presents an application of clustering time series data for bringing into light the spread of Covid19 in Italian cities. We used a method comparing n curves, corresponding to different n entities described by time series that we could interpret as functions of a set k of environmental variables. The method consisted of four steps. In the first step we calculated the correlation coefficient between the n curves and the environmental variables. Then, we described the entities corresponding to the curves by the set of correlation coefficients each of which has with the k environmental variables. For the comparison, we used the Goodall's probabilistic index that gives the probability that two elements are more similar than they could be if the variables by which they are described would have a random distribution in the set of the n elements. The matrix of probabilistic similarity is subjected to cluster analysis and the clusters are compared by the test of the evenness of the eigenvalues. In the third step the curves corresponding to the entities in the same clusters were averaged and then compared in the same graph after the double normalization of their values. In this way only the shape of the curves were taken into consideration for the comparison between the clusters. Finally, in the fourth step, we applied wavelet analysis to the normalized n curves and we used the correlation coefficients between the actual data and the values obtained by the wavelets at three decomposition levels (large, meso and small scale) to compare and cluster the n curves. Here, we again used the probabilistic index of Goodall. The results of clustering the n curves based on their correlation with k environmental variables, and those obtained by clustering the curves on the basis of the wavelet analysis were compared. Thereby, we observed whether the interpretation of the n curves was improved, keeping into consideration the information regarding the environmental variables.

We applied this method on the time series data of the COVID19 spread in 12 Italian cities in order to identify the pattern of spread in relation to 4 environmental variables namely: Temperature, Humidity, PM_{2,5} and NO₂. The curves of the time series were given by the daily new cases (DC) and the total cases (TC) of 433 days starting from March 3rd, 2020 until May 9th, 2021. The application of cluster analysis to the matrix describing each city by the correlations of the DC values and the TC values with temperature, humidity and PM_{2,5} and NO₂ identified two main groups of cities. The first group included the cities that were more significantly correlated with PM_{2,5}, while the second group included the ones that were correlated more significantly with temperature and NO₂. Interestingly, the first group consists of the cities that are nearby and have more contact with the agricultural lands where intensive breeding activities are implemented (source of PM_{2,5}) and the second group consists of the cities that are more industrial, commercial and residential. By plotting the average curves of TC of the two groups, we observed that the COVID19 outbreaks started in the cities that are correlated with PM_{2,5} and then spread to the cities in the second group. At the beginning of May 2021 (the end of the time study) the spread started to converge in the two groups of cities. The application of the wavelets to the curves of DC leads to the conclusion that to concentrate the study only to the shape of the curves of the Daily New Cases (DC) is not sufficient for explaining the pattern of the diffusion of COVID. The differences within the same cluster of cities add more information to understanding the pattern of spread.

Keywords: similarity, wavelet transform, pattern, COVID

Impact of Wind and Temperature on Covid-19 Outbreak: InvestigatoryA analysis in India

Ajinkya Deokate¹, Mamta Agrawal², Mimansha Agrawal³, Zafer Aslan⁴

ajinkya.ravindra2020@vitbhopal.ac.in, mamta.agrawal@vitbhopal.ac.in,
mimanshaagrawal1998@gmail.com, zaferaslan@aydin.edu.tr

^{1,2,3}VIT Bhopal, Madhya Pradesh, India, 462033

⁴Istanbul Aydin University, Turkey, 34295

Abstract: The number of infected cases of Covid-19 has risen to over 100 million with a recovery rate of 72.9% and a mortality rate of 2.2%. Although the safety measures, such as the protective face masks (PFMs) and social distancing have been implemented, there was an explosion of infected cases in India over the span of 6 months in 2020, that is, May to October; under accordance with the arrival of monsoon. The virus spread shows preference to low temperatures and wind speed, as seen throughout India. Here, the study will shed light on the link between the spread of the pandemic in India and the meteorological factors of air temperature and wind speed. The study will develop a comparison between the fluctuations in meteorological factors and the virus spread in India. Weather data across state capitals and major cities is studied along with nation-wide data on Covid-19 infection cases. The study depicts the behavior of a variant of coronavirus in India, as less stable and low transmission rates at high temperatures and wind speed. On the other hand, its stability, transmission and infection severity is considerably higher at lower temperatures and wind speed. The study traces the importance of self-isolation and social distancing, especially during cold weather conditions.

Keywords: SARS-Cov-2, MERS-Cov, Coronavirus, Covid-19, Meteorological factors

The Mathematical Model to Study the Influence of Different Kind of Clothing Material on Counter Current Heat and Water Distribution in Human Organs

¹Varsha Nigam, ²Mamta Agrawal, ³Anil Goyal, ⁴Ramakant Bhardwaj

¹RGPV, Bhopal, University, India, ²VIT,Bhopal,University, India, ³RGPV, Bhopal, India, ⁴AMITY, Kolkata,University, India

Abstract: The Mathematical model to study the influence of different kind of clothing material on counter current heat and water distribution in human organs is presented here. A Mathematical model is developed for the calculations of detailed temperature distribution throughout the clothed human body. The Modelled limb consists of a counter current bones and different types of clothes. It is divided five concentric layers from the bone, muscle, fat, skin and cloth from the centre to the outside. In this model the bone is consider the core. The model included the effects of the local metabolic rate, local blood flow rate, heart rate, respiratory parameters, heat loss of conduction, convention and evaporation, geometry of the body, and the physical properties of the clothes like a natural or a synthetic one.

Keywords: Mathematical Model, Human temperature

Brain Tumor Detection Using Convolutional Neural Networks (CNN)

Ali GÜLSOY and Halit Hami ÖZ

Istanbul Gedik University Graduate School, Department of Software Engineering, Faculty of Engineering,
Istanbul, Türkiye

Abstract: Brain tumor diagnosis was made using brain tumor MR (Magnetic Resonance) images dataset and Convolutional Neural Networks (CNN). Brain tumor is a mass that grows uncontrolled in the brain. Since detection of brain tumor is quite difficult, it is very important to do this work using software.

In this study, Python programming language was used and the Sequential model of this software was preferred. In this way, the data was examined in the finest detail in order to provide high accuracy rate from the data. Two thousand eight hundred seventy training data and 394 testing data were used in the model.

Experimental results showed that the proposed approach performs well and gives 92% overall accuracy. In this context, it is evaluated that the model can be compiled and used in the field of health in practice with more data and wider technical equipment.

Keywords: Brain Tumor, Deep Learning, CNN, MR

An Innovative Model SegChaNet for Segmentation of Lung Cancer in CT Images

Mehmet Akif ÇİFÇİ

Istanbul Aydın University, Institute of Graduate Studies,
Istanbul, 34295-Turkey, mcifci@bandirma.edu.tr

Abstract: A key step towards the computer-aided diagnosis of the lung cancer is the automatic lung segmentation feature. Several anomalies impede the effective use of current procedures, which utilize segmentation of the lungs. The Channel Attention Module (CAM) proposed in this study will help with the segmentation of the lungs more effectively. A novel method SegChaNet was proposed to segment the lung area from the surrounding chest region and is hence called after the U-Net and Channel Attention Module. SegChaNet is proposed in which CT slices of the input lung are encoded into feature maps using the trail of encoders. Finally, a multi-scale dense-feature extraction module is specifically developed to extract multi-scale features from the collection of encoded feature maps. The segmentation map of the lungs is finally discovered by employing the decoders. Dense feature extraction in lung abnormalities learned, while iterative down-sampling followed by iterative up-sampling causes the network to remain invariant to the size of the dense abnormality. For the experimental study, the publicly accessible Cancer Archive Center dataset is employed. The performance of the proposed network has been compared to the current state-of-the-art approaches (3D U-Net and V-Net) for lung segmentation using SegChaNet analysis. The results of the experimental study reveal that SegChaNet outperforms the conventional methods in finding abnormalities in the CT scan of the lungs.

Keywords: Segmentation, Lung CT, V-Net, 3D U-Net

Automated Detection of Alzheimer's Disease Using Wavelet Transform with Convolutional Neural Networks

Nur OLABI and Aykut YILMAZ
nurzakiroglu@stu.aydin.edu.tr; ayilmaz@aydin.edu.tr

Istanbul Aydın University, Institute of Graduate Studies, 34295, Istanbul - Turkey

Abstract: Alzheimer's disease (AD) is a chronic disease that causes the death of nerve cells and tissue loss in the brain. It usually starts slowly and worsens over time. Individual computer aided systems are needed for early and accurate diagnosis of Alzheimer's. Magnetic resonance imaging (MRI) offers the opportunity to examine the pathological brain changes associated with AD. In recent years, neuroimaging data has been increasingly used to characterize AD with machine learning methods, offering promising tools for personalized diagnosis. Very recently, a number of studies have proposed to aid the diagnosis of AD through convolutional neural networks (CNNs). CNN is machine learning algorithm which is used in a variety of fields, including image and pattern recognition, speech recognition, natural language processing, and video analysis. In this study Discrete wavelet transform (DWT) was used for feature extraction. DWT has attractive properties and has better image representation than other transforms like Fourier. Medical images are vulnerable to noise. Medical images are preprocessed to remove unwanted data and improve quality. Feature extraction and classification are two essential components for the recognition system that have a significant impact on the efficiency of the system. DWT is an implementation of wavelet transform that uses a separate set of wavelet scales and translations that follow some defined rules. The aim of this study is to detect Alzheimer's disease by using convolutional neural networks and to reduce noise by preprocessing by applying DWT on the entered images. With combining DWT feature extraction with CNN algorithm for detecting Alzheimer's disease, the performance and learning rate are significantly increased and while accuracy in CNN learning without using DWT feature extraction was about %75 it increased up to %85 which means using wavelet transform techniques with machine learning algorithm will make the learning rate better.

Keywords: Alzheimer's disease, DWT (Discrete wavelet transform), CNN (Convolutional Neural Networks)

Study of Numerical Model for Thermoregulation in Women Body Before and After Menstruation Cycle

¹Iaxmi, ²Mamta Agarwal, ³Vijay Gupta, ⁴Ramakant Bhardwaj

¹RGPV,Bhopal,University,India , ²VIT Bhopal ,University, India , ³RGPV,Bhopal,University,India,

⁴AMITY University Kolkata,India

Abstract: The aim of this paper is to determine a mathematical model to study the heat transfer from female part of human body at different time of menstruation cycle i.e.before and after a menstruation cycle. To begin, a model of thermoregulation will be presented, followed by a brief description of reproductive physiology of women. The major focus of the review will be thermoregulation in women who have normal menstrual function. Imbedded in the discussion will be the impact of the menstrual cycle on fluid volume regulation during exercise, heat stress, or cold stress. Special aspects of thermoregulation in women will also be considered that may help us understand the factors that affect the integrative function of thermoregulation.

Keywords: Thermoregulation, heat transfer.

Riesz Multiresolution Analysis on Locally Compact Abelian Groups

Raj Kumar, Satyapriya Sheeta

Deptt of Mathematics, Kirori Mal College, University of Delhi, India

Abstract. We have explored the concept of Riesz multiresolution analysis (Riesz MRA) on a locally compact Abelian group G , and have studied in detail, the conditions under which a scaling function ϕ generates a Riesz MRA on the space $L^2(G)$. An example, supporting our theory and illustrating the methods developed, has also been discussed in detail at the end of this paper.

Keywords: LCA Groups, Riesz Basis, Multiresolution Analysis, Approximation Subspaces, Refinement equation.

SESSION 3 - ARTIFICIAL INTELLIGENCE/APPLIED MATHEMATICS

Inverse Problems across the Curriculum

Zuhair Nashed

Department of Mathematics, University of Central Florida, Florida, USA

Abstract: This expository lecture is devoted to examples and topics in inverse problems throughout the undergraduate and postgraduate curriculum: trigonometry, calculus, differential equations, control theory, linear algebra, partial differential equations, complex analysis, calculus of variations, and signal processing. We also discuss and provide examples of recovery problems of a signal from partial or indirect information about the signal. The interactions of inverse problems and signal processing are an exciting field of study which shows the magic of techniques for recovery problems. This talk is accessible to upper undergraduate students.

Keywords: Inverse problems, signal processing.

Asymptotic Behavior of Solutions and Stability Properties for a Linear Neutral Delay Differential Equation with Constant Impulsive Jumps

Ali Fuat YENİÇERİOĞLU, Cüneyt YAZICI

Department of Mathematics, The Faculty of Education, Kocaeli University, 41001,
Kocaeli, Turkey

e-mails: fuatyenicerioglu@kocaeli.edu.tr, cuneyt.yazici@kocaeli.edu.tr

Abstract: We investigate the asymptotic behavior of solutions and stability properties to the linear neutral delay differential equation with constant impulsive jumps and constant coefficients. In this paper, an asymptotic result, a useful exponential estimate of the solutions and a stability criterion are established.

Keywords: Neutral delay differential equation, Characteristic equation, asymptotic behavior, Stability, Zero solution.

On the Spectrum of a New Class of Graphs

Renny P Varghese

Department of Mathematics,

Catholicate College, Pathanamthitta, Kerala

India - 689 645

e-mail: rennypv1@gmail.com

Abstract: The pineapple graph K^t is a graph of the form K (complete graph of order n) with t pendant nn edge attached to any one vertex of K_n . In this paper we determined the adjacency Laplacian and signless Laplacian spectrum of pineapple graphs. Here we investigate some graph invariants like the number of spanning trees, Kirchhoff index and Laplacian-energy-like invariants of these graphs.

Keywords: pineapple graph, spectrum, spanning tree, Kirchhoff index, Laplacian-energy-like invariant.

100 Days Confirmed Covid 19 Cases Prediction Model in Turkey

Sertaç Gül¹, Halit Hami Öz²

¹Graduate School, Artificial Intelligence Engineering,

²Department of Software Engineering, Faculty of Engineering, Istanbul Gedik University,
sertacgul@hotmail.com , hamioz@yahoo.com

Abstract: In this article, we present a 100-day prediction model of Covid-19 cases in Turkey from February 04, 2021 to May 14, 2021 using R Programming. The goal of the study was to create a Covid new infection rate prediction model using The World Covid-19 analytics dataset which starts from Jan 22, 2020, and Facebook’s prophet model. We used the data about Turkey’s Covid cases in that dataset. The confirmed cases are generally uploaded to the dataset after the daily Covid-19 cases declaration by Ministry of Health. We used only the official data.

For creating the algorithm, we used “dplyr”, “prophet”, “lubridate”, “ggplot2”, “tidyr”, “gganimate”, “gvis”, and “av” libraries. So, we had different and independent plots. Our plots show the Number of confirmed Covid-19 cases in Turkey, Forecast Model of Covid-19 Cases in Turkey, Prediction Interactive Plot of Covid-19 Cases in Turkey, Animation of Covid-19 Cases in Turkey, Trend Plot and Day of the Weeks Plot of Covid-19 Cases in Turkey, Predict and Actual Plots of Covid-19 Cases in Turkey, Linear Trend Plots of Covid-19 Cases in Turkey.

In the February 04, 2021, actual case trend had a downward trend. April 13, 2021 the actual cases passed the prediction trend, and, in the May 03, 2021, the actual cases graphic had a downward trend again. In our study we investigate the results and comparison between predicted and real confirmed case day by day. The research study is still in progress.

In the study, we analyzed all plots and evaluate statistics and performance of the model. We found that prediction model was not very compatible with real infection rates due to the government’s changing practices, such as imposing semi or complete lockdown for 20 days, overnight curfews during weekdays or semi-lockdown on weekends etc., to lower the new infection rates.

Keywords: COVID-19, prediction model, artificial intelligence, machine learning

Modulation of the Crystallization in MaPbI₃ Perovskite Films: Studying the impact of Different Antisolvents

Amal Bouich^{1,2}, Julia Mari¹, Shafi Ullah¹, Julia Mari¹, Asmaa Bouich², Bernabé Mari¹, Mohamed Ebn Touhami²

¹Institut de Disseny i Fabricació, Universitat Politècnica., València, Spain

²Laboratory (LMEE)- Ibn Tofail university of Kenitra, Morocco

Abstract: Enhancing the grain size and achieving uniform coverage for thin film perovskite are the most major challenges facing the perovskite solar cell device. Herein we study the impact of different antisolvent as additive for MAPbI₃ precursor solution, on the surface coverage and grain size of MAPbI₃ films. The addition of different antisolvents impacts the crystallization procedure and film coverage. The films prepared using Toluene had fewer pinholes and large grains compared to other films prepared with other antisolvents chlorobenzene and diethyl ether. MAPbI₃ grains, with about 400nm, are highly oriented along the (112) direction. Photoluminescence analyses highlight the impact of antisolvent type on surface passivation of deposited MaPbI₃ films.

Keywords: Crystallization, Perovskite, thin film, Antisolvent

Recognizing Musical Instruments Using Machine Learning

Mustafa Sami Şahin¹, Halit Hami Öz²

¹Graduate School, ²Department of Software Engineering,
Faculty of Engineering, İstanbul Gedik University,

Abstract: In this project, we tried to recognize the instruments in the same dataset using the sound recordings of 11 different instruments given in the Nsynth dataset.

When we searched for projects on similar subjects, we came across many similar studies. One of them was Music Instrument Detection Using Lstms and the Nsynth Dataset. In this study, Nsynth suggested processing the dataset using Long Short Term Memory Networks algorithms, but did not perform the transactions and left them to future periods.

We chose the KNN algorithm as an algorithm. We used Python 3.8.5 language with Pandas, Numpy and Scikit-learn libraries to run the algorithm. Before starting the project, we used Jupyter Notebook to examine the dataset and looked at what is in the dataset and what features I can use in the project.

In the part called Dataset Train, there are 289205 audio files consisting of 4 seconds single note and also contains 1 JSON file belonging to these files. In the test part, there are 4096 files in the same order.

These files can contain acoustic, electronic and synthetic versions of 11 different instruments.

While we achieved success at 20 percent in my first attempts, we were able to increase this rate up to 34.87 percent in the experiments we made in the following different arguments. Lastly, we caught this rate in our 3-neighbor trial.

Keywords: KNN, audio files, musical instruments.

SESSION 4 Environmental Applications

Climate Change, Energy and CO₂ Emissions: How Can Applied Math Help?

Vanni LUGHI
University of Trieste, Italy

Abstract: This paper gives an overview on the status of climate change, CO₂ emissions and the key role of the energy system, showing the extreme criticality of the issue. It identifies some key dynamics and technologies that have the potential of helping the decisive and urgent changes that we need to set in motion, and suggest how applied math can help in the process.

Keywords: Renewable energy, emission.

The Effect of the Temperature in the Structural and Optoelectronics Properties of MaPbI₃ / TiO₂ Heterojunction for Photovoltaic Application.

Khawla Fradi ^{1,2}, Bechir Slimi ¹, Amal Bouich ³, Bernabe Mari³, Radhouane Chtourou ^{1,2}

¹ Laboratoire de Nanomatériaux et Systèmes pour les Energies Renouvelables, Centre de Recherches et des Technologies l'Energie, Technopole BorjCedria, Bp 95, Hammam Lif 2050, Tunisie.

²Faculté des Sciences de Tunis, Université d'El Manar, Tunis, Tunisia

³ Institut de Disseny i Fabricació, Universitat Politècnica.València, Spain

Abstract: In this work we investigate the effect of the temperature on the properties of two types of materials; MaPbI₃ thin films perovskites and the TiO₂ nano-rodes for photovoltaic applications.

In the first part, we deposited the nano-rodes of TiO₂ on FTO substrates by the hydrothermal method. The second part was devoted to the preparation of MAPbI₃ by spin coating technique on the FTO glass in the third part we synthesized the heterojunctions MAPbI₃ / TiO₂ / FTO.

The morphological study of TiO₂ was obtained by scanning electron microscopy (SEM) and shows the nano-rodes of smooth and rectangular surface. The influence of the annealing temperature on the structural and optical properties was studied, by preparing MAPbI₃ films in air from stoichiometric solutions of MAI / PbI₂. Structural characterizations have demonstrated that the crystal structure is practically unchanged by the annealing conditions, Also we have found that the films prepared have a higher absorbance. It has also been found that the gap energy slightly decreases with increasing the temperature, reaching the maximum for T = 100 ° C. MaPbI₃ was analyzed by X-ray diffraction analyses and indicated the formation a cubic perovskite phase with space groupe Pm-3m and homogeneous and uniform surface.

The heterojunction MAPbI₃ / TiO₂ / FTO showed a higher absorbance in the infrared region 750-800 and decreasing of the band gap with the increase of temperature.

Keywords: MaPbI₃, TiO₂, heterojunction, thin film, morphology, bad gap

The Climate Changes and The Foreigner's House Purchases in Turkey

Zelha Altinkaya¹ and Zafer Aslan²

¹Yalova University, Yalova, Türkiye

²Istanbul Aydın University, Istanbul, Türkiye

Abstract: The liberalization movements started in the late 18th Century argued for the free movement of commodities via free trade of goods. In the late 20th Century, in addition to commodities, services were subject to free movement along the borders of countries. In addition to the changes in economic thought, technological developments, political changes in many countries facilitated not only the liberalization of goods and services, but also the liberalization of capital movements. As a phase of the liberalization processes started after January 24, 1980 in Turkish economy, foreigners were legally allowed to acquire real estate in Turkey. People and legal persons from Iraq, Iran, Russia, Ukraine, U.K, and Germany preferred to purchase houses from different parts of Turkey. In this study, the effect of houses demanded by foreigners who come from different weather conditions will be under review. The effect of house sales to foreigners on house demand in the Turkish economy in the 2015-2020 period will be evaluated by wavelet analysis.

Keywords: Foreign direct investment, foreign demand, house demand, climate change, liberalization, Turkish Economy.

Investigation of Kura River Delta and Surrounding Area on The Basis of Image Processing

Rovshan Abbasov¹, Shahnaz Amanova²
Khazar University, 41 Mehseti Street, Baku, AZ1096
¹rabbasov@khazar.org, ²shahnaz.amanova@khazar.org

Abstract: Our investigation area includes Kura river delta and surrounding area (Figure 1). We researched area based on satellite images within Geographic Information Systems. Nowadays variable satellite images provide a wide range of possibilities of monitoring the environment on coastal regions in a fast way. We can use lots of earth observation satellites with different spatial and spectral resolution in our research materials. Since Landsat images, with high resolution, are available for free, this type of land cover mapping is more effective.

Keyword: GIS, Landsat

Monitoring Air Pollution and its Impacts on COVID-19 in India

Mimansha Agrawal¹, Mamta Agrawal², Zafer Aslan³, İlknur Dönmez⁴, Ali Güneş⁵

^{1,2} VIT Bhopal University Madhya Pradesh India, 62033

^{3,5} Istanbul Aydin University, Turkey

⁴ Istanbul Arel University, Turkey ¹mimanshaagrawal1998@gmail.com,

²mamta.agrawal@vitbhopal.ac.in, ³zaferaslan@aydin.edu.tr,

⁴ilknurdonmez@arel.edu.tr, ⁵aligunes@aydin.edu.tr

Abstract: SARS-CoV-2 (Severe Acute Respiratory Syndrome Coronavirus 2) is the agent of COVID-19 disease, which attacks the respiratory system. Air quality is an important issue that is affecting human health, flora, fauna and ecosystems. Vehicular pollution, demolition and construction activities, burning of fossils and plastics, and population burst are the main reasons for degrading air quality. The data collected is from CPCB (Central Pollution Control Board) of India from 2015-2020 for the pollutants such as PM_{2.5} and PM₁₀. Pre-Processing techniques such as removal of null values using MICE imputer on multivariate data, merging the columns, and Minmax feature scaling is applied. The cities are classified and further subdivided based on Terrain (coastal, mountainous and plains) and based on Population (highly populated and less populated). The study analyses and hence, predicts the values for Particulate matter by using the SARIMA model. SARIMA stands for Seasonal Autoregressive Integrated Moving Average model. It uses optimal hyperparameters for better prediction. The performance evaluation of the forecasting model by calculating root mean square error may help to control the degraded air quality.

Keywords: COVID-19, Atmospheric pollution, PM_{2.5}, SARIMA, SARS-CoV-2, AQI.

SESSION 5 Engineering Applications

A Simplified Theory of Distributions for Engineering Applications and Time-Frequency Analysis

Prof. Dr. Hans Georg FEICHTINGER
Institute of Mathematics, University of Vienna AUSTRIA

Abstract: Invited by A. Siddiqi to a talk at Sharda University in February 2018, I have presented the ingredients for "Applied Fourier Analysis," i.e. an outline of a new way of teaching the Fourier transform not only to mathematicians, but also to engineers and physicists, avoiding Lebesgue integration and topological vector spaces. Meanwhile I have given such courses at TU Muenich and in autumn 2020 at ETH Zurich, entitled "Mathematical Methods for Signal Processing". The difficulty was to develop the principles of the generalized Fourier transform for a space of objects called "mild distributions" from scratch. This space (of tempered distributions) is invariant under the (distributional) Fourier transform, and allows a unified approach to the classical methods involving Fourier transforms (given as an integral transform on L^1), or the Fourier series expansion of periodic functions. Even the FFT (the fast Fourier transform for discrete and periodic signals) can be viewed as a special case of the general Fourier transform. After a quick introduction to the material of the recent course (which was based on methods from linear algebra, Riemann integration and basic functional analysis) I will discuss how heuristic arguments can be understood in a precise mathematical sense using this simple theory of generalized functions and the calculus, which is based on the triple of Banach space, using the space of test functions $S_0(\mathbb{R}^d)$ (Feichtinger's algebra), the Hilbert space $L^2(\mathbb{R}^d)$, and the dual space $S_0^*(\mathbb{R}^d)$ (the space of mild distributions), which form together THE Banach Gelfand Triple $(S_0, L^2, S_0^*)(\mathbb{R}^d)$. In particular we will point out, how the use of the most natural form of convergence (related to the so-called w^* -convergence) can be used to describe the mutual approximation of the different settings, e.g. how to compute the integral transform approximately with the help of the FFT. The published material can be downloaded from the author's %

Keywords: Signal Process, FFT, Riemann integration.

The Unreasonable Effectiveness of Haar frames

Stéphane Jaffard

Université Paris Est Créteil, France

Abstract: Despite its lack of regularity, the Haar basis has been of constant use in signal and image processing, and Haar decompositions have recently been used for Convolutional Neural Networks in Deep Learning. Computationally efficient Graph-based algorithms using Haar decompositions have also been performed at a very low computational cost. However, a main drawback of Haar decompositions is the irregularity of the basis elements, thus their inability to account for the smoothness of the data.

Wavelet frames were introduced by I. Daubechies, A. Grossmann and Y. Meyer in 1985 as a compromise between the continuous wavelet transform, which is a very flexible analysis tool (the restrictions on the shape of the wavelet are easy to meet), and orthonormal wavelet bases (the use of which being much less greedy in terms of computational costs).

In this talk, we will show that Haar tight frames, obtained by using a finite union of shifted Haar bases, capture the advantages of both decompositions: they keep the algorithmic simplicity of Haar bases, and they also allow to characterize pointwise and global regularity by the standard smooth wavelet conditions, despite the fact that the elements composing the frame are discontinuous.

This is a joint work with Hamid Krim (North Carolina State University).

Key Word: Wavelet Transforms, image processing

Solution of Partially Singularly Perturbed System of Initial and Boundary Value Problems Using Non-Uniform Haar Wavelet

Akmal Razaa

Department of Mathematics, Jamia Millia Islamia, New Delhi-110025, India.

Abstract: An efficient non-uniform Haar wavelet method is proposed for the numerical solution of system of first order linear partially singularly perturbed initial value problem on piecewise uniform Shishkin mesh and ρ -mesh. Further, we apply same technique for solving system of second order linear partially singularly perturbed boundary value problem on piecewise uniform Shishkin mesh and q -mesh. We demonstrated two test problems to support the theory, accuracy and efficiency of the non-uniform Haar wavelet method.

Keywords: Non-Uniform Haar wavelet; Shishkin Mesh; Singular perturbation; Initial and Boundary value problems.

Estimation of Math Success Scores According to the Reading and Writing Scores of Primary School Students

Sema ÜZÜLMEZ¹, Mehmet Akif ÇİFÇİ²

Istanbul Aydin University, Institute of Graduate Studies, 34295, Istanbul, Turkey,
semauzulmez@stu.aydin.edu.tr, mcifci@badnirma.edu.tr

Abstract: There are many important factors affecting students' success in mathematics lesson. The determination of these factors has been the subject of many academic studies. These factors are generally the communication of the students starting in preschool period with physical, social, emotional, language and cognitive skills, which are the areas of development.

In this study, students' reading and writing scores in their primary school years were linked with their mathematics achievement scores, which will affect their academic success in the following years, and an analysis was made to estimate the mathematics score according to the students' reading and writing scores. For this, before starting the study, the literature was scanned and then the analysis was made by choosing the Multiple Linear Regression method, one of the Data Mining methods. Python was preferred as the software language in the study. When the math prediction results are analyzed according to reading and writing scores, students with low reading and writing scores also have low math scores, and students with high reading and writing scores generally have high math scores.

Keywords: Data analysis, Mathematics, Success Score, Multiple Linear Regression, Correlation analysis

Examining the Ease of Use of Hybrid Systems in Mobile Applications

İsmail GÜLER

Institute of Graduate Studies, Istanbul Aydın University, 34295, Türkiye

Abstract: Smartphone applications help people adopt their lifestyle. Therefore, there are benefits to the design strategies of hybrid mobiles from applications that can be designed appropriately. The aim of our research is to be applied to web applications with hybrid mobile applications. Hybrid mobile applications combine the display of Web applications and Native mobile applications. They are platform-independent and implemented in languages, such as HTML, as well as web applications. Like native apps, they access the native device directly with its progress from the last period with hybrid applications. According to domestic applications, their performance is not appreciated. The results are better with the operation of the user model for hybrid applications.

Keywords: Mobile applications, Hybrid systems, e-Business

Space Time Fractional Ito System: Exact Solution and Conservation Laws

Baljinder Kour

Department of Mathematics, Akal University, Talwandi Sabo, Bathinda-151302, India
baljindervirk172@gmail.com

Abstract: The main aim of this paper is to examine the space-time fractional Ito system with time-dependent variable coefficients for explicit solution using the power series method, which correlates to lie symmetry reduction. Further, the convergence of the explicit solution obtained in power series form is analyzed. The new conservation theorem and the generalised fractional Noether's operator are used to construct conservation laws for the Ito system.

Keywords: Fractional differential equations with time dependent variable coefficients, power series solution, conservation laws.

Automatic Traffic Sign Classification

Berrak Şenses, Ece Aksen and Elena Battini Sönmez
Department of Computer Engineering, İstanbul Bilgi University

Abstract: The aim of this study is to design and implement an Automatic Traffic Sign Classification (ATSC) system. According to the National Highway Traffic Safety Administration, the main cause of vehicle crashes is human error and an ATSC aims to increase safety of car driving. Moreover, ATSC is one of today's important research topics due to the recent introduction of self-driving cars. The subject is particularly challenging due to the presence of disturbance elements such as damaged traffic signs, inconsistent lighting conditions, blurring and fading effects, motion artifacts, poor visibility.

This paper challenges the German Traffic-sign database, which is one of the most studied collections of images in this field. The use of Convolutional Neural Networks reached an initial performance of 85%. After that, the initial model has been improved using the Italian Traffic Sign (ITS) database enriched with some of the images from the Belgium Traffic Sign (BTS) dataset. The signs taken from BTS dataset are those which are very similar to the signs in the Italian database. Finally, the use of transfer learning and data augmentation techniques, such as shifting vertically and horizontal translation, allowed reaching the top performance of 94%. The proposed model is currently used by a logistic company to enhance safety during driving.

Keywords: Traffic sign, classification, CNN.

Forecasting the EUR/TL Exchange Rate with Artificial Neural Network

Emine Ayık¹, Halit Hami ÖZ²

¹Graduate School, ²Department of Software Engineering, Faculty of Engineering, İstanbul Gedik University, Kartal, İstanbul, Turkey*191203002@stu.gedik.edu.tr, **hamioz@yahoo.com

Abstract: Today, it is always possible to estimate the euro buying rate by including many different variables that affect the euro exchange rate. However, in this case, these variables should also be measurable. On the other hand, many qualitative factors that are not measurable can also affect exchange rates. Artificial Neural Networks (ANN) modeling technique is frequently used today in the analysis of economic data and features prediction problems

The aim of this project is to use Artificial Neural Networks to forecast the EUR/TL exchange rate. The data used in this study, was obtained from the website of the Turkish Central Bank. In this study, the euro rate has been estimated using ANN method. In the estimation phase of the established exchange rate model, the error caused by the back-propagation algorithm among many artificial neural network architectures was ensured to be minimum.

Keywords: ANN, exchange rates,

SESSION 6 Engineering Applications

Wavelet Hybridized Neuronal Modelling of COVID-19

Rashmi Bhardwaj
Professor of Mathematics,
University School of Basic and Applied Sciences, Head, Non-Linear
Dynamics Research Lab,
Guru Gobind Singh Indraprastha University, Delhi, rashmib22@gmail.com

Abstract: Most widely and uncontrollably spreading unknown viral genome infecting people worldwide was announced to be 2019-2020 nCoV by WHO on January 30, 2020. Based on the seriousness of its spread and unavailability of vaccination or any form of treatment, it was an immediate health-emergency of concern of international-level. The specific virus-gene is believed to be evolved through 7-month-old infant having infected with bronchiolitis and conjunctivitis. Viral gene consists of distinctive features consisting of a distinctive N-terminal sliver within spike-protein. Corona-genomic viruses - the genus of Coronaviridae species encased viruses along with large plus-strand RNA-gene. Genomic RNA has size 27-32kb wrapped polyadenylated. Three serologically distinctive assemblies for coronaviruses description were taken into account. This study analyses long-term effects of this virus. It is important to capture the essence of this pandemic affecting millions of the population daily ever since its spread began from January 22, 2020 - August 3, 2020 (approximately 195 days) in this case of India. From sample of each case taken distinctly, initial 4 data-points are input values. Rest of the 191 are to train and test designed forecast model. Further values are trained and validated into prototype as inputs. Wavelet Neuronal Network Fuzzified Inferences' Layered (WNNFIL); Wavelet Neuronal Network Fuzzified Inferences' Layered Least-Squares Support Vector Regression (WNNFIL-LSSVR); Wavelet Neuronal Network Fuzzified Inferences' Layered Multivariate Adaptive Regression Spline (WNNFIL-MARS) techniques used to forecast the long-term behaviour. WNNFIL-MARS perform better compared to WNNFIL & WNNFIL-LSSVR which is observed through Root Mean Square Error (RMSE), Mean Square Error (MSE), Mean Absolute Error (MAE) and Coefficient of Determination (R^2) values.

Keywords: Wavelet, COVID 19, Modelling

Vector-valued Nonuniform Wavelet Packets

Meenakshi¹, P.Manchanda²

¹ Lajpat Rai D.A.V. College, Jagraon, India

²Department of Mathematics, Guru Nanak Dev University, Amritsar, India

E-mail-* meenakshi_wavelets@yahoo.com, ** pmanch2k1@yahoo.com

Abstract:

Wavelet packets are a class of generalized wavelets having applications in many fields including signal processing, image compression and solving integral equations. The multiresolution analysis is the heart of the wavelet theory. The concept of multiresolution analysis provides a very elegant tool for the construction of wavelets i.e. the functions $\psi \in L^2(\mathbb{R})$ having the property that the collection of functions $\left\{2^{j/2}\psi(2^j x - n)\right\}_{j,n \in \mathbb{Z}}$ forms a complete orthonormal system for $L^2(\mathbb{R})$ where \mathbb{Z} denote the set of all integers [1]. We have considered a generalization of the notion of nonuniform multiresolution analysis (NUMRA) which is called vector-valued nonuniform multiresolution analysis (VNUMRA) [4]. The concept of NUMRA was introduced by Gabardo and Nashed [2, 3] based on the theory of spectral pairs. Xia and Suter [5] introduced vector-valued multiresolution analysis (VMRA) and orthogonal vector-valued wavelets. We have introduced vector-valued nonuniform multiresolution analysis(VNUMRA) in [4] where the associated subspace V_0 of $L^2(\mathbb{R};\mathbb{C}^s)$ has, an orthonormal basis, a collection of translates of a vector valued function over the set $\Lambda = \{0, r/N\} + 2\mathbb{Z}$, where r and N are relatively prime and $1 \leq r \leq 2N - 1$ and the corresponding dilation factor is $2N$. The notion of vector-valued nonuniform wavelet packets is introduced in this paper and their various properties are investigated. The orthonormal basis of $L^2(\mathbb{R};\mathbb{C}^s)$ is constructed from these wavelet packets and the orthonormal decomposition relation is also given.

Keywords: Multiresolution analyses, wavelet packets.

References

- [1] A.Cohen and R.D.Ryan, Wavelets and Multiscale Signal Processing (R.J.Knops and K.W.Morton eds.), Appl. Math. Math. Comp. (11), Chapman & Hall, London/ New York, 1995.
- [2] J.P.Gabardo and M.Z.Nashed, Nonuniform multiresolution analysis and spectral pairs, Journal of Functional Analysis 158: 209 -241, 1998.
- [3] J.P.Gabardo and M.Z.Nashed, An analogue of Cohen's condition for nonuniform multiresolution analyses, Contemporary Mathematics 216: 41-61, 1998.
- [4] Meenakshi, P.Manchanda and A.H.Siddiqi, Wavelets associated with vector-valued nonuniform multiresolution analysis, Applicable Analysis. 93(1): 84-104.

The impact of Different Antisolvents in the Growth and stability of Formamidinium lead iodide(FaPbI₃) Perovskite Films

Julia Mari, Amal Bouich, Bernabé Mari

Institut de Disseny i Fabricació, Universitat Politècnica, València, Spain

Abstract: Formamidinium lead iodides (FAPbI₃) with different antisolvent were successfully elaborated by a spin coating technique. The influence of the different antisolvents; Toluene, Diethyl Ether and Chlorobenzene, in the FAPbI₃ films was investigated. The crystal structures, surface morphology and optical properties have been characterized by X-ray diffraction (XRD), scanning electron microscopy (SEM), Atomic force microscopy (AFM), Transmission electron microscopy (TEM), photoluminescence and UV–Visible spectrometer, respectively. The crystalline structure of was found in the orientation of (110) plane. It is observed from the XRD results that the type of antisolvent content plays an important role in in growth and stabilization of the FAPbI₃. Here, the Chlorobenzene leads to smooth and homogenous surface, large grain size and pinhole-free perovskite film. The optical analysis revealed that the band gape is in the range from 1.4 to 1.8 eV. Furthermore, in an approximately 60% humid environment and after two weeks, the stability of FaPbi3 was still good.

Keywords: FaPbI₃, Perovskite, thin film, Antisolvent.

Investigation of Thermodynamic Processes in the Oil Layer with Regard of Deformation

Jalalov Garib,

Institute of Oil and Gas of ANAS, Department of hydrogasodynamics of the layer systems. Baku Az1000,
Azerbaijan

Mahir Rasulov

Institute of Oil and Gas of ANAS, Department of Numerical Modeling of Intralayer Dynamic
Processes.

Baku, Az1000, Azerbaijan,

mresulov@gmail.com

Abstract: Experience in the development of oil fields shows that the complexity of the physical processes that occur during the operation of the fields highlights the need for a comprehensive scientific approach in the creation of technological schemes. The most important direction of these studies is the study of the mechanisms of mass transfer of hydrocarbons and the transition between phases, taking into account changes in pressure and temperature during the filtration of fluid in the formation. It is important to take into account the impact of pressure and temperature changes in the development of hydrocarbon fields on the performance. Under these conditions and some physical assumptions, the determination of the pressure and temperature distribution functions in the layer is described by the following system of equations by corresponding initial and boundary conditions.

$$\beta^* \frac{\partial p}{\partial t} = \frac{1}{r} \frac{\partial}{\partial r} \left(\frac{k(p)}{\mu} r \frac{\partial p}{\partial r} \right), \quad r_c \leq r \leq r_k, \quad t > 0 \quad (1)$$

$$C_{pl} \frac{\partial T}{\partial t} = \rho_f C_f \frac{k(p)}{\mu} \frac{\partial p}{\partial r} \left(\frac{\partial T}{\partial r} + \varepsilon \frac{\partial p}{\partial r} \right) + \eta \rho_f C_f \frac{\partial p}{\partial t}, \quad r_c \leq r \leq r_k, \quad t > 0 \quad (2)$$

$$p(r, 0) = p_c, \quad r_c \leq r \leq r_k \quad (3)$$

$$\frac{2\pi k(p)H}{\mu} \left(r \frac{\partial p}{\partial r} \right) \Big|_{r=r_c} = Q + C \frac{\partial p}{\partial t} \Big|_{r=r_c}, \quad t > 0 \quad (4)$$

$$p(r_k, t) = p_k, \quad t > 0 \quad (5)$$

$$T(r, 0) = T_c, \quad r_c \leq r \leq r_k \quad (6)$$

$$T(r_k, t) = T_k, \quad r_c \leq r \leq r_k. \quad (7)$$

Three difference shema for problem (1)-(7) was suggested. Obtained results accurately describe all physical nature of the investigated problem.

Keywords: Boundary layer problem, temperature and pressure distributions.

Bandgap Alignment of Buffer CdS toward ZnO Window layer for Thin-Film Application.

Shafi Ullah, Amal Bouich, Júlia Marí, Muhammad Aamir Shafi, Hanif Ullah, Bernabé Mari

Instituto de diseño y Fabricación (IDF)-Universitat Politècnica de València (UPV) Camino de Vera, s/n 46022
Valencia, Spain.

Department of Electrical Engineering, Federal Urdu University of Arts, Science and Technology,
Islamabad, Pakistan.

COMSATS University Islamabad, Abbottabad Campus (CU), Pakistan.

Abstract: Binary cadmium sulfide (CdS) is an n-type semiconductor which conventionally used as a buffer layer for CZTS and CIGS devices. The CdS has a tunable bandgap around 2.40 eV where the window layer of the complete device ZnO has a wide bandgap in the range of 3.20 to 3.50 eV. In this work, the Zn contents were electrochemically incorporated into the CdS thin film to decrease the energy losses between the mismatching of the bandgap. The obtained thin films were characterized by different techniques such as X-ray diffraction XRD, Surface electron microscopy SEM, Energy dispersive spectroscopy EDS, and Optical and photocurrent response PC analysis. The crystallography of the film was confirmed by XRD with polycrystalline nature. The morphology and the elemental composition of the film investigated by SEM, it observed that the film is stichometry with a small variation of the grain size by increasing the Zn content. The optical analysis was studied in the visible range with a direct bandgap of 2.40 eV for CdS and 3.1 eV for Zn contents. The photocurrent response of the film confirmed that the incorporation of Zn content high energy photons was captured to enhance the photocurrent of the film and decrease the bandgap mismatching between the CdS buffer and ZnO window layer. The obtained results could be the better choice to improve the device performance.

Keywords; Buffer layer; CdS, characterization, optical and electrochemical analysis.

Controllability of fractional-order dynamical systems with control delay

G. Arthi

Assistant Professor, Department of Mathematics,
PSGR Krishnammal College for Women, Coimbatore, Tamilnadu, India.

Abstract: This paper deals with the problem of fractional-order dynamical systems with control delay. First, the controllability of linear fractional-order system with control delay is studied by applying the controllability Grammian matrix. Then, on the basis of controllability of linear system and the Schauder fixed point theorem, some sufficient conditions are presented to analyze the controllability results for nonlinear fractional-order system with control delay. Finally, the effectiveness of theoretical analysis is verified by an example.

Keywords: Dynamic Systems, non-linear systems,

Sementic Analysis of a Book using R Programming

Fatih Bingöl¹, Halit Hami ÖZ²

¹Graduate School, Istanbul Gedik University, ² Department of Software Engineering, Faculty of Engineering, Istanbul Gedik University bingl.fatih@gmail.com , hamioz@yahoo.com

Abstract: The importance and use of the R programming language, which is used for text analysis, graphic drawings, graphics and also for vital computing, is increasing day by day. Because of development of social media and internet technologies, big data analysis is needed to make this big unstructured data meaningful. The data for the study was taken from the address <https://www.gutenberg.org/ebooks/1513> published by free books. The title of the book is Romeo and Juliet, owned by William Shakespeare. R programming was used and R Studio was used as the interface was used to analyze the text and emotion of this book. Libraries in R studio have been used for our study. These libraries are library (gutenbergr), library (dplyr), library (ggplot2). "BING" dictionary was used for sentiment analysis of the downloaded book. Bing dictionary allows separating words as positive and negative according to the meanings they contain. As a result, after the necessary chapters were loaded, the analysis of the book was listed visually by listing the most frequently used words in the book from high to low, and the general sentiment analysis of the book was based on the Bing dictionary for the emotion analysis of these words.

Keywords: R Programming Language, Text and Sentiment Analysis, Big Data

**The 11th International Conference of Image Processing,
Wavelet and Applications on Real World Problems (IWW2021)
In Memory of Abul Hasan SIDDIQI, Sharda University & ISIAM, India
June 23-24, 2021, Istanbul Aydın University- online**



UNIVERSITY
OF TRIESTE



Istanbul Aydın University, Istanbul, TURKEY

23-24 June 2021

On-line

REMARKS at the CLOSING SESSION

No	Country	Papers	No of Author(s) / Co-Authors
1	Austria	1	1
2	Azerbaijan	2	3
3	Benin	1	1
4	France	1	1
5	Italy	4	4
6	India	10	21
7	Uzbekistan	1	2
8	Pakistan	1	1
9	Spain	4	4
10	Syria	1	1
11	Turkey	14	23
12	USA	1	1
13	Tunisia	1	1
TOTAL		42	64

Total No of Countries: 13

Total Number of Papers: 42

Total Number of Invited Lectures: 10

Total Number of National Papers: 14

Total Number of Participants: 59

**The 11th International Conference of Image Processing,
Wavelet and Applications on Real World Problems (IWW2021)
In Memory of Abul Hasan SIDDIQI, Sharda University & ISIAM, India
June 23-24, 2021, Istanbul Aydın University- online**



UNIVERSITY
OF TRIESTE



SHARDA
UNIVERSITY
Beyond Boundaries



EURAS
Avrasya Üniversiteler Birliği
Eurasian Universities Union



Istanbul Aydın University, Istanbul, TURKEY

23-24 June 2021

On-line

Future Plans

- **Every Two years: Organization of Wavelet Conferences**
- **Every Years: Organization of Workshops on following main topics:**
 - ✓ **Environment**
 - ✓ **Energy**
 - ✓ **Climate changing**
 - ✓ **IT**

- **Establishment of networking for young scientists**
- **Organization of two-three workshops on selected topics like environment, IT etc.**

AUTHOR/PARTICIPANT LIST

Author List

NO	Name-Surname	E-mail	Country
1.	ADALI, E.	adali@itu.edu.tr	Turkey
2.	ABBASOV, R.	rabbasov@khazar.org	Azerbaijan
3.	AGRAWAL, M.	mimanshaagrawal1998@gmail.com	India
4.	AGRAWAL, M.	mamta.agrawal@vitbhopal.ac.in	India
5.	ALAM, K.	kalam786@rediffmail.com	India
6.	AKŞEN, E.		Turkey
7.	ALTINKAYA, Z.	zelha.altinkaya@yalova.edu.tr	Turkey
8.	AMANOVA, S.	shahnaz.amanova@khazar.org	Azerbaijan
9.	ASLAN, Z.	zaferaslan@aydin.edu.tr	Turkey
10.	AYIK, E.		Turkey
	BHARDWAJ, R.	rkbhardwaj100@gmail.com	India
11.	BHARDWAJ, R.	rashmib22@gmail.com	India
12.	BİNGÖL, F.	bingl.fatih@gmail.com	Turkey
13.	BOUICH, A.		Spain
14.	CHAUHAN, A.		
15.	CHTOUROU, R.	radhouane.chtourou@crten.rnrt.tn	Tunisia
16.	ÇİFÇİ, M. Akif.	mehmetcifci@stu.aydin.edu.tr	Turkey
17.	DEOKATE, A.	ajinkya.ravindra2020@vitbhopal.ac.in	India
18.	DONMEZ, İ.		
19.	FEICHTINGER, H. Georg.	hans.feichtinger@univie.ac.at	Austria
20.	FEOLİ, E.	feoli@units.it	Italy
21.	FRADI, K.	kh.karfaf@gmail.com	Tunisia
22.	GARIB, J.		Azerbaijan
23.	GENCEL, Ç.	cigdem.gencel@gmail.com	Italy
24.	GOYAL, A.	anil_goyal03@gmail.com	India
25.	GUPTA, V.	Vkgupta_12873@rediffmail.com	India
26.	GÜL, S.	sertacgul@hotmail.com	Turkey
27.	GÜLER, İ.	ismailguler@stu.aydin.edu.tr	Turkey
28.	GÜLSOY, A.	ali-gulsoy@hotmail.com	Turkey
29.	GÜNEŞ, A.	aligunes@aydin.edu.tr	Turkey
30.	KOUR, B.	baljindervirk172@gmail.com	India
31.	KUMAR, R.	rajkmcc@gmail.com	India
32.	KUMAR, S.	santosh.Kumar@memphis.edu	India
33.	LOZI, R.		France
34.	LUGHI, V.	vlughi@units.it	Italy
35.	MARI, B.		Spain
36.	MARI, J.		Spain
37.	MANCHANDA, P.	pmanch2k1@yahoo.com	India

AUTHOR/PARTICIPANT LIST (cont.)

38.	NIGAM, V.	varshanigam25@gmail.com	India
39.	OLABI, N.	nurzakiroglu@stu.aydin.edu.tr	Turkey
40.	OZ, HALİT H.	hamioz@yahoo.com	Turkey
41.	RAZA, A.		India
42.	RASULOV, M.	rasulova@live.com	Uzbekistan
43.	RASULOVA, M.		Uzbekistan
44.	SLIMI, B.		Tunisia
45.	SHAFI, A.		Pakistan
46.	SHARMA, SITA R.	sita.ram@chitkarauniversity.edu.in	India
47.	SHEETAL S.	sheetal@sgtbkhalsa.du.ac.in	India
48.	SONMEZ,ELENA B.	elena.sonmez@bilgi.edu.tr	Turkey
49.	SAHIN,MUSTAFA, S.		Turkey
50.	SENSES, B.		Turkey
51.	TURJMAN, F.	fadi@metu.edu.tr	Cyprus
52.	UÇAN, O. Nuri.	osman. ucan @altinbas.edu.tr.	Turkey
53.	ULLAH, H.		
54.	ULLAH, S.		
55.	UZULMEZ, S.	semauzulmez@stu.aydin.edu.tr	Turkey
56.	VARGHESE, RENNY P.	rennypv1@gmail.com	India
57.	YAZICI, C.	cuneyt.yazici@kocaeli.edu.tr	Turkey
58.	YENICERIOGLU , ALI F.	fuatyenicerioglu@kocaeli.edu.tr	Turkey
59.	YILMAZ, A.	ayilmaz@aydin.edu.tr	Turkey
60.	JAFFARD, S.		France
61.	UÇAN, B.		Turkey